



2023 FULL FENDERED SPEED33 BUILD SHEET

Description	US Dollar	Selection
Speed33 Body Assembly	\$35,500	
Standard Features Include:		
All body panels stamped in 18 gauge steel, 14 gauge firewall, and 11 gauge (1/8") floor & inner structures		
Solid cast 303 stainless steel windshield posts		
Curved laminated windshield with Solex green tint		
Formed and polished 304 stainless steel windshield frame		
Curved tempered door glass installed with electric window regulators, felt run channels, and seals		
Fully integrated OE-designed stowable convertible top system -- available in three standard colors (Black, Beige & Navy Blue), Solex green backlite glass in stainless steel frame, installed seals		
Suicide doors stretched 4" (10 cm) for easier entry, complete with bear claw latches and seals (shipped loose)		
4-Link decklid hinges with gas assist struts, complete with bear claw latches and seals		
Body channeled 2" (5 cm) for low-boy look. *Body riser kit required for Fendered or Hi-Boy Builds		
Stock body mounted on 4-wheeled wood dolly with casters (safe for cargo transport)		
Body Style: <input checked="" type="checkbox"/> Full Fendered & Highboy Build <input type="checkbox"/> Open Wheel Build		
Convertible Top Options:		
Standard Top Cloth Colors: <input type="checkbox"/> Black <input type="checkbox"/> Beige <input type="checkbox"/> Navy Blue <input type="checkbox"/> Custom (upcharge):		
Zip Out Rear Backlite - Removable cloth panel -- approx. 30" x 9" (76 cm x 23 cm)	650.00	
Chrome Side Rails - Metal finished and chrome plated rail system for high end show look	4,000.00	
Body Options and Accessories:		
Full Body E-Coat: Full body E-Coating Corrosion Protection - full body immersion on mounting rack. doors, decklid, tonneau, dash, and trunk lid are dipped on separate racks for full coating. Matte black finish.	3,100.00	
Door Dove Tails: Rubber isolated door stabilizers (Installed)	330.00	
Door Handles: Inside and Outside (locking) chrome door handle kit (Installed)	600.00	
HVAC Unit: Compac Gen II Unit with heat, AC and defrost	595.00	
HVAC Brackets: Custom under dash brackets for Compact Gen II Unit (Installed)	360.00	
Dash Defrost Louvers: Two 4" wide defrost louvers installed in dash, modified substructure	450.00	
Defrost Louver Vents: Plastic adapters for defrost louver installation (Shipped loose)	45.00	
Shorty Side View Mirrors: Classic 4" swan neck mirror with custom stem, polished stainless steel, with mounting hardware, gaskets & adhesive. (Shipped loose)	395.00	
Shorty Side View Mirrors: Swan neck mirrors installed on Speed33 Body	450.00	
Window Crank Handles: Chrome window crank handles with micro-switches (Installed)	360.00	
Safety Door Pin Kit: Electric door pin for suicide doors with manual override (installed)	350.00	
Windshield Wiper Kit: Two speed intermittent kit, stainless steel blades and arms (Installed)	725.00	
Interior / Trim Options:		
Interior Trim Kit: Vacuum Molded ABS Plastic (1/8" / 3.1 mm thick) Interior Trim Kit for the Speed33 -- originally clay modeled to provide a 3 dimensional look to the interior substrates to blend the various sheet metal and trim panels together. Panels can be easily modified for one of a kind look. 18 piece kit includes templates and 'frog leg' spring clips for panel installation.	2,500.00	
Aluminum Sill Inserts: Brushed aluminum sill inserts with 2 sided tape	120.00	
Decklid Trim Plate: Polished stainless steel decklid latch opening trim plate	195.00	
Speed33 Bench Seat: Manual slide / recline bench seat with foams and arm rest	1,750.00	
Speed33 Bucket Seats: Bucket seats with manual slide and recline	1,550.00	
Power Seat Tracks: 6-Way power seat tracks for bucket seats (floor cutout required)	950.00	
<i>Additional seat styles and options are available, including split back bench seats, lumbar, heating pads, arm rest, and head rests. Please call for complete listing and updated pricing.</i>		
Gauge Clusters: CNC machined, polished aluminum gauge clusters available in 5, 6, or 7 hole options. Includes engine turned aluminum upper insert and brushed aluminum lower insert. Custom inserts and AC vent adapters available.	695.00	
ASC Gauge Set: Special Edition American Speed Company gauge set (6 Piece)	1,350.00	
Gauge Set & Cluster Combo: Purchase both a 6 hole cluster and 6 piece ASC gauge combo	1,950.00	

Continued on next page

Sheet Metal and Exterior Options:		US Dollar	Selection
All-Steel Fender Package:	Package includes E-Coated front and rear fenders, inner splash aprons, 33/34 rubber coated running boards with 4 piece brace kit, front V-Pan grille apron, front fender tie bracket, gas tank cover panel (smooth with bumper stand-offs), 6 piece front fender support bracket kit, rear fender to body close-out panels, 16 gallon gas tank (18 gauge stamped alloy coated steel tank with standard carb setup).	8,950.00 * Restock of rubber coated running boards is TBD	
Smoothie Running Boards:	Upgrade to an all steel smoothie running board	(+) 400.00	
Running Board SS Trim:	Polished stainless steel spears for smoothie running boards (10 pc.)	1,200.00	
Fuel Tanks Upgrade:	Upgrades include stainless steel tank, EFI setup, in-vehicle tank	(+) 295.00	
3 Piece Steel Hood Set:	Modern design, 3-way hinge system, 33 style louvers	1,750.00	
4 Piece Steel Hood Set:	Traditional design, center hinged, 33 style louvers, 34 style handles	1,950.00	
Radiator Support Rod Kit:	Stainless steel support rods, brackets and hood prop rod kit	135.00	
1934 Chrome Grill:	Replica chrome grill with radiator fill	Backordered	
33 Front Curved Bumper:	Chrome plated front bumper with stock steel brackets, SS hardware	895.00	
33 Straight Rear Bumper:	Chrome plated rear bumper with shorty steel brackets, SS hardware	895.00	
Headlight Stands:	E-Coated, dropped headlight stands for 33/34 headlights with pads	105.00	
Headlights:	Ford scripted stainless steel headlight buckets with H4 bulbs	450.00	
Horns:	Vintage 12 volt chrome horns with mounting brackets	650.00	
Cowl Lamps:	Original stainless steel cowl lamps with mounts and gaskets	200.00	
Tail Lights with Mounts:	Traditional stainless steel tail lights with shorty stands and gaskets	250.00	
Transmission Tunnel:	Hand Formed 18 gauge tunnel for AOD/4L60 size transmissions	1,100.00	
Mechanical Options:			
Engine	Type: <input type="checkbox"/> Carb <input type="checkbox"/> Fuel Injected		
Transmission	Type: <input type="checkbox"/> Manual <input type="checkbox"/> Automatic <input type="checkbox"/> Programmable		
Aluminum Radiator:	Aluminum radiator designed / built for Speed33 fendered builds	1,050.00	
	Upgrade to heavy duty core (for 600+HP engines or hot climates)	(+) 200.00	
	Add air conditioning condenser	(+) 150.00	
	Add dummy rad fill and tank (traditional 33/34 hood and grille)	(+) 50.00	
Transmission Cooler Kit:	Dual fan transmission cooler kit designed to mount under vehicle	650.00	
Fuel Tank Upgrades:	Upgrades include stainless steel tank, EFI setup, in-tank fuel pump	Request Quote	
Steering Column Kit:	Complete IDIDIT tilt steering column starter kit (includes steel column, polished aluminum column drop, swivel floor mount, polished stainless steel DD shaft, 4 universal joints, and 2 rod end support bearings. (Upgrades included polished aluminum or chrome column)	1,750.00	
Fuel System:	Made-to-order fuel system based on engine and fuel tank setup	Request Quote	
Exhaust System:	2.5" OD 304 stainless, header back dual exhaust system (parts / material)	Request Quote	
Electrical Harness:	Made-to-order electrical harness - Drop in ready for post paint assembly	Request Quote	
Stereo System:	Custom designed stereo system (based on user's music preference)	Request Quote	
Chassis Options (for Quote):			
Boxed Frame Rails:	Fabricated steel frame rails designed for the Speed33 Full Fendered Build		
Wheelbase:	<input type="checkbox"/> Stock 112" Wheelbase <input type="checkbox"/> Stretch Length:		
Tubular K-Member:	<input type="checkbox"/> Tubular K-Member with drop-out transmission bracket		
Front Suspension:	<input type="checkbox"/> Dropped I-Beam with inverted leaf spring and viper hair pins		
	<input type="checkbox"/> Independent Front Suspension with Coilover Shocks		
	<input type="checkbox"/> Other:		
Rear Suspension:	<input type="checkbox"/> Solid Rear Axle with Ladder Bars and Model A Leaf Spring		
	<input type="checkbox"/> Solid Rear Axle with Ladder Bars and Coilover Shocks		
	<input type="checkbox"/> Solid Rear Axle with 4-Link, Panhard Bar and Coilovers		
	<input type="checkbox"/> Winters Quick Change Rear Axle, Ladder Bars and Coilover Shocks		
	<input type="checkbox"/> Winters Quick Change Rear Axle, Ladder Bars and Model A Spring		
	<input type="checkbox"/> Independent Rear Suspension with Ford 9" Center		
	<input type="checkbox"/> Independent Rear Suspension with Quick Change Center		
<input type="checkbox"/> Other:			

Continued on next page

Chassis Design Options (for quote) continued

Type of Finish on Parts:	<input type="checkbox"/> Raw (paintable) <input type="checkbox"/> Chrome / Polished Stainless		
Brake System:	<input type="checkbox"/> Manual Brakes <input type="checkbox"/> Power Brakes <input type="checkbox"/> None		
Brake / Clutch Pedal Arm:	<input type="checkbox"/> Brake Pedal Arm <input type="checkbox"/> Clutch Pedal Arm (with cylinder)		
Front Brakes:	<input type="checkbox"/> Disc Brakes <input type="checkbox"/> Disc Brakes with Finned Buick Covers		
Rear Brakes:	<input type="checkbox"/> Drums <input type="checkbox"/> Disc <input type="checkbox"/> Drum Brakes with Finned Buick Covers		
Disc Brake Option:	<input type="checkbox"/> Smooth Rotors <input type="checkbox"/> Drilled / Slotted Rotors		
Finish on Calipers:	<input type="checkbox"/> Raw <input type="checkbox"/> Polished <input type="checkbox"/> Powder Coat - Color:		
Brake Lines:	<input type="checkbox"/> Stainless Steel Brake Lines <input type="checkbox"/> None		
Parking Brake:	<input type="checkbox"/> Yes <input type="checkbox"/> No		
Steering:	<input type="checkbox"/> Manual Steering Box <input type="checkbox"/> Manual Rack & Pinion <input type="checkbox"/> Power Rack		
Gear Ratio:	<input type="checkbox"/> 3.50 <input type="checkbox"/> 3.70 <input type="checkbox"/> 4.10 <input type="checkbox"/> Other:		
Differential:	<input type="checkbox"/> Open Diff <input type="checkbox"/> Limited Slip <input type="checkbox"/> Locking Diff <input type="checkbox"/> Other		
Wheel Tub:	<input type="checkbox"/> Rear 2" wheel tub to accommodate a 12" wide tire (stock is 10")		
Sway Bar:	<input type="checkbox"/> Front Sway Bar <input type="checkbox"/> Rear Sway Bar		
Ground Clearance:	Preferred ground clearance:		
Comments:			
Additional Notes:			
	* Minimum Rim Size: 15 Inch		
	* Recommended Front Tire Diameter: 24.5 Inches		
	* Recommended Rear Tire Diameter: 28-29 Inches		
Discounts and Packages:			
Parts Package:	Body, chassis and component package	Request Quote	
Roller Package:	Body mounted on chassis with sheet metal and components installed	Request Quote	
Driver Package:	Full assembly of various components and prepped to drive (unpainted)	Request Quote	
Turn-Key Package:	Fully painted, assembled, tested and tuned vehicle - Ready for the road!	Request Quote	
Shipping Options:			
Ground Transportation:	Specialized enclosed vehicle carrier's are available for coast-to-coast shipping		
International Freight:	Crating and logistic services are available to ship worldwide (land, sea, or air)		
In-bound Shipping & Handling:	All non-inventory and custom order items may be subject to S&H charges		
Drop Ship Services:	Optional drop ship services will be provided when available on various components		
Estimated Labor Cost:			
	Labor Sub Total		
	Estimated Labor Cost		
Estimated Parts Cost:			
	Parts Sub Total		
	*Estimated Parts Cost		
Project Estimate:			
	*Estimated Total for Speed33 Project		
<i>*Pricing is based on cost of parts at the time document was updated and is subject to change. Updated December 2022</i>			

Contact Name: _____

Date of Estimate: _____

Company Name: _____

Sales Representative: _____

Phone Number: _____

Deposit Amount: _____

Address: _____

Deposit Date: _____

Address: _____

Anticipated Delivery Date: _____