

2021 SPEED33 OPEN WHEEL BUILD SHEET

| | Description | US Dollar | Selection | |
|---|---|-------------------|-----------|--|
| Speed33 Body Assembly | | \$33,500 | | |
| Standard Features Include: | | | | |
| All body panels stamped in 18 | gauge steel, 14 gauge firewall, and 11 gauge (1/8") floor & inner structures | | | |
| Solid cast 303 stainless steel w | Solid cast 303 stainless steel windshield posts | | | |
| Curved laminated windshield w | rith Solex green tint | | | |
| Formed and polished 304 stain | less steel windshield frame | | | |
| Curved tempered door glass in | stalled with electric window regulators, felt run channels, and seals | | | |
| Fully integrated OE-designed s green backlite glass in stainles: | towable convertible top system available in three standard colors (Black, Beige & Ns steel frame, installed seals | lavy Blue), Solex | | |
| Suicide doors stretched 4" (10 | cm) for easier entry, complete with bear claw latches and seals (shipped loose) | | | |
| 4-Link decklid hinges with gas | assist struts, complete with bear claw latches and seals | | | |
| Body channeled 2" (5 cm) for lo | ow-boy look. *Body riser kit required for Fendered or Hi-Boy Builds | | | |
| Stock body mounted on 4-whee | eled wood dolly with casters (safe for cargo transport) | | | |
| Body Style: [] Full Fendered | d & Highboy Build [X] Open Wheel Build | | | |
| Convertible Top Options: | | | | |
| Standard Top Clothe Colors: [|] Black [] Beige [] Navy Blue [] Custom (upcharge): | | | |
| Zip Out Rear Backlite - Remova | able clothe panel approx. 30" x 9" (76 cm x 23 cm) | 525.00 | | |
| Chrome Side Rails - Metal finis | hed and chrome plated rail system for high end show look | 3,800.00 | | |
| Body Options and Accessorie | es: | | | |
| Full Body E-Coat: | Full body E-Coating Corrosion Protection - full body immersion on mounting rack. doors, decklid, tonneau, dash, and trunk lid are dipped on separate racks for full coating. Matte black finish. | 2,700.00 | | |
| Door Dove Tails: | Rubber isolated door stabilizers (Installed) | 330.00 | | |
| Door Handles: | Inside and Outside (locking) chrome door handle kit (Installed) | 500.00 | | |
| HVAC Unit: | Compac Gen II Unit with heat, AC and defrost | 495.00 | | |
| HVAC Brackets: | Custom under dash brackets for Compact Gen II Unit (Installed) | 250.00 | | |
| Dash Defrost Louvers: | Two 4" wide defrost louvers installed in dash, modified substructure | 450.00 | | |
| Defrost Louver Vents: | Plastic adapters for defrost louver installation (Shipped loose) | 45.00 | | |
| Shorty Side View Mirrors: | Classic 4" swan neck mirror with custom stem, polished stainless steel, with mounting hardware, gaskets & adhesive. (Shipped loose) | 335.00 | | |
| Shorty Side View Mirrors: | Swan neck mirrors installed on Speed33 Body | 395.00 | | |
| Window Crank Handles: | Chrome window crank handles with micro-switches (Installed) | 360.00 | | |
| Safety Door Pin Kit: | Electric door pin for suicide doors with manual override (installed) | 295.00 | | |
| Windshield Wiper Kit: | Two speed intermittent kit, stainless steel blades and arms (Installed) | 675.00 | | |
| Interior / Trim Options: | | | | |
| Interior Trim Kit: | Vacuum Molded ABS Plastic (1/8" / 3.1 mm thick) Interior Trim Kit for the Speed33 originally clay modeled to provide a 3 dimensional look to the interior substrates to blend the various sheet metal and trim panels together. Panels can be easily modified for one of a kind look. 18 piece kit includes templates and 'frog leg' spring clips for panel installation. | 2,200.00 | | |
| Aluminum Sill Inserts: | Brushed aluminum sill inserts with 2 sided tape | 110.00 | | |
| Decklid Trim Plate: | Polished stainless steel decklid latch opening trim plate | 175.00 | | |
| Speed33 Bench Seat: | Manual slide / recline bench seat with foams and arm rest | 1,750.00 | | |
| Speed33 Bucket Seats: | Bucket seats with manual slide and recline | 1,550.00 | | |
| Power Seat Tracks: | 6-Way power seat tracks for bucket seats (floor cutout required) | 950.00 | | |
| • | ons are available, including split back bench seats, lumbar, heating pads, arm rest, complete listing and updated pricing. | | | |
| Gauge Clusters: | CNC machined, polished aluminum gauge clusters available in 5, 6, or 7 hole options. Includes engine turned aluminum upper insert and brushed aluminum lower insert. Custom inserts and AC vent adapters available. | 545.00 | | |
| ASC Gauge Set: | Special Edition American Speed Company gauge set (6 Piece) | 1,450.00 | | |
| Gauge Set & Cluster Combo: | Purchase both a 6 hole cluster and 6 piece ASC gauge combo | 1,950.00 | | |

| t Metal and Exterior Opt | tions: | US Dollar | Sele |
|--|---|---------------|------|
| Blisters: | Lower hood transition panels - designed for 2" pinched front rails | 925.00 | |
| Front Chin Pan: | Front chin pan for the 33/34 grille (open wheel builds) | 825.00 | |
| Roll Pan: | Rear roll pan designed for the Speed33 | 1,675.00 | |
| 3 Piece Steel Hood Set: | Modern design, 1-way hinge system, blank hood sides | 1,850.00 | |
| 4 Piece Steel Hood Set: | Traditional design, center hinged, 33 style louvers, 34 style handles | 1,950.00 | |
| 1933 Grille Option 1: | Stock style grille, bare steel, with (dummy) radiator fill | Request Quote | |
| 1933 Grille Option 2: | Modern design '33 grille with clip nose option (rad fill delete) | Request Quote | |
| 1934 Chrome Grille: | Replica chrome grille with radiator fill | Backordered | |
| License Plate Surround: | So-Cal polished aluminum license plate surround, surface mount | 95.00 | |
| Transmission Tunnel: | Hand Formed 18 gauge tunnel for AOD/4L60 size transmissions | 950.00 | |
| anical Options: | | | |
| Engine | Type: HP: [] Carb [] Fuel Injected | | |
| Transmission | Type: | | |
| Aluminum Radiator: | Aluminum radiator designed / built for Speed33 open wheel builds | 950.00 | |
| Aluminum Nadiator. | | | |
| | Upgrade to heavy duty core (for 600+HP engines or hot climates) Add air conditioning condenser | (+) 200.00 | |
| | | (+) 150.00 | |
| T | Add dummy rad fill and tank (traditional 33/34 hood and grille) | (+) 50.00 | |
| Transmission Cooler Kit: 17 Gallon Fuel Tank: | Dual fan transmission cooler kit designed to mount under vehicle | 525.00 | |
| 17 Gallott Fuel Tank: | Custom designed 17 Gallon Stainless Steel Fuel Tank. Mounts between rear seat and trunk. Internal baffles for in-tank electric fuel pump. Available options: Carb, EFI-Low, High, or Ultra High Pressure Pump. | 1,030+ | |
| Steering Column Kit: | Complete IDIDIT tilt steering column starter kit (includes steel column, polished aluminum column drop, swivel floor mount, polished stainless steel DD shaft, 4 universal joints, and 2 rod end support bearings. (Upgrades included polished aluminum or chrome column) | 1,500.00 | |
| Fuel System: | Made-to-order fuel system based on engine and fuel tank setup | Request Quote | |
| Exhaust System: | 2.5" OD 304 stainless, header back dual exhaust system (parts / material) | Request Quote | |
| Electrical Harness: | Made-to-order electrical harness - Drop in ready for post paint assembly | Request Quote | |
| Stereo System: | Custom designed stereo system (based on user's music preference) | Request Quote | |
| sis Design Options (AS | C Display Chassis): | | |
| Boxed Frame Rails: | Fabricated steel frame rails designed for the Speed33 Open Wheel Build | | |
| Wheelbase: | [] Modern 113" Wheelbase [] Other: | | |
| Tubular K-Member: | [] Tubular K-Member with drop-out transmission bracket | | |
| Front Suspension: | [] Dropped I-Beam with inverted leaf spring and viper hair pins | | |
| - · · - · - F - · · · · · · · · · · · · | [] Independent Front Suspension with Coilover Shocks | | |
| | Other: | | |
| Rear Suspension: | [] Solid Rear Axle with Ladder Bars and Model A Leaf Spring | | |
| | [] Solid Rear Axle with Ladder Bars and Coilover Shocks | | |
| | Solid Rear Axle with 4-Link, Panhard Bar and Coilovers | | |
| | [] Winters Quick Change Rear Axle, Ladder Bars and Coilover Shocks | | |
| | [] Winters Quick Change Rear Axle, Ladder Bars and Model A Spring | | |
| | [] Independent Rear Suspension with Ford 9" Center | | |
| | [] Independent Rear Suspension with Quick Change Center | | |
| | [] Other: | | |
| Type of Finish on Parts: | [] Powder Coat (paintable) [] Chrome / Polished Stainless | | |
| Brake System: | [] Manual Brakes [] Power Brakes [] None | | |
| Brake / Clutch Pedal Arm: | [] Brake Pedal Arm [] Clutch Pedal Arm (with cylinder) | | |
| Front Brakes: | [] Disc Brakes [] Disc Brakes with Finned Buick Covers | | |
| | [] Drums [] Disc] Disc Brakes with Finned Buick Covers | | |
| Rear Brakes: | | | |
| Disc Brake Option: | [] Smooth Rotors [] Drilled / Slotted Rotors | | |
| Finish on Calipers: | [] Raw [] Polished [] Powder Coat - Color: | | |

Chassis Design Options (for quote) continued

| Finish on Calipers: | [] Raw [] Polished [] Powder Coat - Color: | | | |
|-------------------------------|--|----------------------------|--|--|
| Brake Lines: | [] Stainless Steel Brake Lines [] None | | | |
| Parking Brake: | [] Yes [] No | | | |
| Steering: | [] Manual Steering Box [] Manual Rack & Pinion [] Power Rack | | | |
| Gear Ratio: | [] 3.50 [] 3.70 [] 4.10 [] Other: | | | |
| Differential: | [] Open Diff [] Limited Slip [] Locking Diff [] Other | | | |
| Wheel Tub: | [] Rear 2" wheel tub to accommodate a 12" wide tire (stock is 10") | | | |
| Sway Bar: | [] Front Sway Bar [] Rear Sway Bar | | | |
| Ground Clearance: | Preferred ground clearance: | | | |
| Comments: | | | | |
| Additional Notes: | * Minimum Rim Size: 15 Inch | | | |
| | * Recommended Front Tire Diameter: 24.5 Inches | | | |
| | * Recommended Rear Tire Diameter: 28-29 Inches | | | |
| Discounts and Packages: | | | | |
| Parts Package: | Body, chassis and component package | Request Quote | | |
| Roller Package: | Body mounted on chassis with sheet metal and components installed | Request Quote | | |
| Driver Package: | Full assembly of various components and prepped to drive (unpainted) | Request Quote | | |
| Turn-Key Package: | Fully painted, assembled, tested and tuned vehicle - Ready for the road! | Request Quote | | |
| Shipping Options: | | | | |
| Ground Transportation: | Specialized enclosed vehicle carrier's are available for coast-to-coast shipping | | | |
| International Freight: | Crating and logistic services are available to ship worldwide (land, sea, or air) | | | |
| In-bound Shipping & Handling: | All non-inventory and custom order items may be subject to S&H charges | | | |
| Drop Ship Services: | Optional drop ship services will be provided when available on various component | ıs | | |
| Estimated Labor Cost: | | | | |
| | Labor Sub Total | | | |
| | Estimated Labor Cost | | | |
| Estimated Parts Cost: | | | | |
| | Parts Sub Total | | | |
| | *Estimated Parts Cost | | | |
| Project Estimate: | | | | |
| | *Estimated Total for Speed33 Project | | | |
| *Pricing is based on co | ost of parts at the time document was updated and is subject to change. Updated Se | | | |
| 3 3 | | , | | |
| Contact Name: | Date of Estimate: | | | |
| Company Name: | Sales Representative: | Sales Representative: | | |
| Phone Number: | Deposit Amount: | Deposit Amount: | | |
| Address: Deposit Date: | | | | |
| Address: | Anticipated Delivery Date: | Anticipated Delivery Date: | | |

American Speed Company | 13100 N. Haggerty Rd. Suite 116, Plymouth, Michigan 48170 USA www.americanspeedcompany.com | 734-451-1141 | phil.davie@americanspeedcompany.com